

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20070083718".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:27
L2	0	L1 and (data with transfer\$4 with instruction with stor\$3 with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:27
L3	0	L1 and (data same transfer\$4 same instruction same stor \$3 same range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:28
L4	0	L1 and (data same transfer\$4 same stor \$3 same range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:31
L5	0	L1 and (data same transfer\$4 same stor \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:31
L6	1	L1 and (data same transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 09:31
S41	12	("2002046326" "6092159" "5297258" "5325509" "5754888"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:01

S42	5	S41 and (hold\$3 writ \$3 receiv\$3 send\$3 sent stor\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:06
S43	0	S41 and (hold\$3 writ \$3 receiv\$3 send\$3 sent stor\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4))) same register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:07
S44	6002	(cache near5 (memory system)) with (compris \$3 includ\$3 has) same (hold\$3 writ\$3 receiv \$3 send\$3 sent stor \$3) with (addresses (address near3 (range interval begin\$4 end\$3 start\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:22
S45	547	S44 same (search\$3 purg\$3 find\$3 found look\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:24
S46	79	S45 same (hold\$3 writ \$3 receiv\$3 send\$3 sent stor\$3 transfer \$4) near5 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:26
S47	0	S46 and (cach\$3 near5 (terminat\$3 end \$3) near3 (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:28
S48	0	S46 and (cach\$3 near5 (terminat\$3 end \$3) near5 (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:28

S49	5	S46 and (cach\$3 with (terminat\$3 end\$3) with (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:29
S50	196	(cach\$3 near5 (terminat\$3 end\$3) near3 (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:50
S51	29	S50 same (hold\$3 writ\$3 receiv\$3 send\$3 sent stor\$3 transfer \$4) near5 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:50
S52	0	S51 same (search\$3 purg\$3 find\$3 found look\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:51
S53	15	S51 and (search\$3 purg\$3 find\$3 found look\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:51
S54	4	S53 and (cache near5 (memory system)) with (compris\$3 includ\$3 has) same (hold\$3 writ\$3 receiv\$3 send\$3 sent stor\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 13:52

S55	4	S53 and (cache near5 (memory system circuit)) with (compris \$3 includ\$3 has) same (hold\$3 writ\$3 receiv \$3 send\$3 sent stor \$3) with (addresses (address near3 (range interval begin\$4 end\$3 start\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:07
S56	1592	(cach\$3 near5 (terminat\$3 end\$3 time (how adj long)) near7 (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:10
S57	105	S56 same (hold\$3 writ \$3 receiv\$3 send\$3 sent stor\$3 transfer \$4) near5 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:10
S58	43	S67 and (search\$3 purg\$3 find\$3 found look\$3) with (addresses (address near3 (range interval begin\$4 end\$3 start \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:11
S59	19	S58 and (cache near5 (memory system circuit)) with (compris \$3 includ\$3 has) same (hold\$3 writ\$3 receiv \$3 send\$3 sent stor \$3) with (addresses (address near3 (range interval begin\$4 end\$3 start\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:11
S60	15	S59 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 14:13
S61	1	(cache near3 termination near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/20 23:56

S62	110	(cach\$3 near3 (terminat\$3 end\$3) near3 (attribute bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 00:02
S63	6	S62 same (cache near3 (memory system circuit)) with (compris\$3 includ\$3 has)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 00:03
S64	132	(cach\$3 near3 (terminat\$3 end\$3 stop \$4) near3 (attribute bit indicator flag property properties))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 22:54
S65	3	S64 same (cache near3 (memory system circuit)) near5 (compris\$3 includ\$3 has)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 22:55
S66	2	"20070083718".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:40
S67	2	S66 and (cache with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:40

12/22/2008 9:53:35 AM

C:\Documents and Settings\mchery\My Documents\EAST\Workspaces\10578299.wsp